

March 25, 2025

LOGAN RECREATION CENTER PARKING LOT EXTENSION PROJECT NO. 2020-001 Bid# 2668

Addendum 1.

To all bidders: Please make note of the following changes in the bid form:

Item No. 9 of the bid form for the pavement section has been changed to "Asphalt Pavement -2 inches thick S9.5B, 150 Tons."

Please replace the bid form and SP-03 in the bid documents with the attached Bid Form - Addendum 1, SP-03, and acknowledge receipt on page 13 of the bid documents.

End of Addendum 1

EXHIBIT A – BID FORM

Logan Recreation Parking Lot Expansion Project # 2020-001

| Logan | | | | | | | | |
|-------|--|--|------|-------------|-----------------|-----------------|--|--|
| No. | Item: NCDOT Section or Reference # | Description | QTY. | Units. | Unit Price (\$) | ltem Total (\$) | | |
| 1 | 800 | Mobilization | 1 | LS | | | | |
| 2 | 801 | Construction Surveying | 1 | LS | | | | |
| 3 | SP-01 | Comprehensive Grading | 1 | LS | | | | |
| 4 | SP-06 | Traffic Control | 1 | LS | | | | |
| | Erosion Control | | | | | | | |
| 5 | 1607 | Construction Entrance | 1 | LS | | | | |
| 6 | SP-02 | Silt Fence Stone Outlet | 1 | EA | | | | |
| 7 | 1605 | Temporary Silt Fence | 250 | LF | | | | |
| 8 | 1660 | Seeding and Mulching | 0.17 | AC | | | | |
| | 1 | l | Asp | halt Paving | | | | |
| 9 | SP-03, 650 | Asphalt Pavement – 2 inches thick S9.5B | 150 | TN | | | | |
| 10 | 620 | Asphalt Binder | 8 | TN | | | | |
| 11 | 607 | Milling Asphalt Pavement, 0" to 1 1/2" Depth | 50 | SY | | | | |
| 12 | 520 | NCDOT Aggregate Base Course (ABC) | 450 | TN | | | | |
| 13 | 1205 SP-05 | Thermoplastic Pavement Marking Lines, 4", 90 mils, (W) Parking stalls | 1 | LS | | | | |

| 14 | 1205 SP-05 | Thermoplastic Directional Symbols, 120 mils (W) | 1 | LS | | | |
|----|--------------------------------|--|----------|------------|------|--|--|
| 15 | 848 | Sidewalk Demolition and Replacement, 4 inches Thick | 5 | SY | | | |
| 16 | 846 | Curb And Gutter | 320 | FT | | | |
| 17 | Sheet 10 | Concrete Flume | 2 | EA | | | |
| 18 | Sheet 11 | Concrete Flume | 1 | EA | | | |
| 19 | SP-04, SH- 6,7,and 8 | SRW Retaining Wall | 1 | LS | | | |
| | | | Filterra | Bioscape V | ault | | |
| 20 | Sheet 9 | 12'x6' Filterra Bioscape Vault with all appurtenances as shown on Sheet 9 | 1 | LS | | | |
| 21 | 876.02 | Rip- Rap Apron | 2 | LS | | | |
| | | | STO | RM DRAIN | | | |
| 22 | 300 | Foundation Conditioning Material, Minor Structures | 20 | TN | | | |
| 23 | 300 | Foundation Conditioning Fabric | 25 | SY | | | |
| 24 | AASHTO M170 NCDOT 310 | 15-Inch RCP Pipe (Class II) | 90 | FT | | | |
| 25 | 840 | Concrete Drainage Structures (CB #1) 840.14 | 1 | EA | | | |
| 26 | 840 | Frame with Grate, Std. 840.16 | 1 | EA | | | |
| 27 | 1060 | Landscape Plan, Sht. 13 and 14 | 1 | LS | | | |
| | Signage | | | | | | |
| 28 | 904.50 | Do Enter Sign and Wrong Way Sign (Type E) | 2 | EA | | | |

ESTIMATED BASE COST

| ESTIMATED BASE COST | \$ |
|----------------------|----|
| 10% CONTINGENCY | \$ |
| TOTAL ESTIMATED COST | \$ |

- 5. Bidder agrees that all work will be completed and ready for final payment in accordance with Paragraph 14.13 of the General Conditions within 150 days from the date of notice to proceed.
- 6. Liquidated damages are \$500 per day past the contract completion date.
- 7. Communications concerning this Bid shall be sent to Bid at the following address:

| NAME | : | |
|-----------------------|---|---|
| ADDR | ESS: | |
| P.O. B | | |
| CITY: | | |
| STATI | 3: | |
| ZIP: | | |
| assigned t 9. | used in this BID, which are defined in the General Conditions (Section II), ha o them in the General Conditions. OF BIDDER: | C |
| Contractor's I | ation Date | |
| <u>If an Individu</u> | al | |
| By | (signature of the individual) | |
| doing l | business as | |
| Busine | ss address | |
| Phone | No | |
| Date | , 20 | |
| ATTE | STTITLE | |
| If a Partnersh | p | |
| By | | |
| | 1 - | |

SP-03, ASPHALT PAVEMENT

1.0 DESCRIPTION

This special provision shall include all labor and materials to pave the proposed parking Lot. The objective is to provide a properly drained surface without depressions exceeding acceptable tolerances. This special provision outlines the stone subgrade, intermediate, and surface layer thicknesses and tolerances.

2.0 Asphalt Section

The proposed parking lot sections shall be as follows:

2 inches of Surface Course S9.5B and 6 inches of NCDOT Aggregate Base Course C ABC placed and compacted as required in sections 650 and 520.

3.0 MEASUREMENT AND PAYMENT

Asphalt Pavement will be measured and paid for by the actual number of Tons of asphalt pavement installed and accepted. Such price and payment will be full compensation for all work covered by this section, including, but not limited to, furnishing all materials, labor, equipment and incidentals necessary to install the *Asphalt Pavement*.

Payment will be made under:

LOGAN PARKING LOT ASPHALT PAVEMENTTN